

**BRAVO Heavy Duty Low Odor Stripper** 

HMIS		NFPA	Personal protective equipment
Health	3	3	and Salah
Flammability	0	0	
Physical Hazard / Instability	0	0	
Version Number: 2			Preparation date: 2014-05-23

## 1. PRODUCT AND COMPANY IDENTIFICATION

Product name: BRAVO Heavy Duty Low Odor Stripper

MSDS #: MS0300209

**Product Code:** 5115940, 5115958, 5115991 · Industrial/Institutional Recommended use:

· Floor stripper

• This product is intended to be diluted prior to use

Manufacturer, importer, supplier: Canadian Headquarters **US** Headquarters Diversey, Inc. - Canada Diversey, Inc. 2401 Bristol Circle 8310 16th St. Oakville, Ontario L6H 6P1 Sturtevant, Wisconsin 53177-1964 Phone: 1-800-668-3131

Phone: 1-888-352-2249

MSDS Internet Address: www.diversev.com

1-800-851-7145 (U.S.); 1-651-917-6133 (Int'I) Emergency telephone number:

# 2. HAZARDS IDENTIFICATION

**EMERGENCY OVERVIEW** 

DANGER. CORROSIVE. CAUSES SKIN AND EYE BURNS. HARMFUL OR FATAL IF SWALLOWED.

Principal routes of exposure: Eye contact. Skin contact. Inhalation.

Eye contact: Corrosive. Causes permanent eye damage, including blindness.

Skin contact: Corrosive. Causes permanent damage.

Inhalation: May cause irritation and corrosive effects to nose, throat and respiratory tract.

Corrosive. Causes burns to mouth, throat and stomach. Ingestion:

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

Ingredient(s)	CAS#	Weight %	LD50 Oral - Rat (mg/kg)	LD50 Dermal - Rabbit	LC50 Inhalation - Rat
Sodium hydroxide	1310-73-2	5 - 10%	500	=1350 mg/kg	Not available
Monoethanolamine	141-43-5	5 - 10%	1515	=1 mL/kg	Not available
Ethyl alcohol	64-17-5	0.1 - 1.5%	7060	Not available	=124.7 mg/L (4 h)

# 4. FIRST AID MEASURES

Eye contact: Immediately flush eyes with running water for 15-20 minutes, keeping eyelids open. Get medical

attention immediately.

Immediately flush with plenty of water for 15-20 minutes. Get medical attention immediately. Skin contact:

Inhalation: If breathing is affected, remove to fresh air. Get medical attention immediately. Ingestion: If swallowed, rinse mouth. Give a cupful of water or milk. THEN IMMEDIATELY CONTACT A

PHYSICIAN OR POISON CENTER. DO NOT induce vomiting unless directed to do so by medical

personnel. Never give anything by mouth to an unconscious person.

Aggravated Medical Conditions: Individuals with chronic respiratory disorders such as asthma, chronic bronchitis, emphysema, etc.,

may be more susceptible to irritating effects.

## 5. FIRE-FIGHTING MEASURES

**Suitable extinguishing media:** The product is not flammable. Extinguish fire using agent suitable for surrounding fire.

Extinguishing media which must not be used for safety reasons: No information available.

Specific hazards: Not applicable.
Unusual hazards: None known.

**Special protective equipment for firefighters:** As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

# 6. ACCIDENTAL RELEASE MEASURES

Personal precautions: Put on appropriate personal protective equipment (see Section 8.).

Environmental precautions Soak up with inert absorbent material. Sweep up and shovel into suitable containers for disposal. Use a

and clean-up methods: water rinse for final clean-up.

## 7. HANDLING AND STORAGE

**Handling:** Avoid contact with skin, eyes and clothing. Do not taste or swallow. Avoid breathing vapors or mists. Use only with adequate ventilation. Remove and wash contaminated clothing and footwear before re-use. Wash thoroughly after handling. Product residue may remain on/in empty containers. All precautions for handling the product must be used in handling the empty container and residue. FOR COMMERCIAL AND INDUSTRIAL USE ONLY.

Storage: Protect from freezing. Keep tightly closed in a dry, cool and well-ventilated place. KEEP OUT OF REACH OF CHILDREN.

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

#### Engineering measures to reduce exposure:

Good general ventilation should be sufficient to control airborne levels Respiratory protection is not required if good ventilation is maintained.

Personal Protective Equipment

**Eye protection:** Chemical-splash goggles. **Hand protection:** Chemical-resistant gloves

**Skin and body protection:** Protective footwear. If major exposure is possible, wear suitable protective clothing and footwear. In case of insufficient ventilation wear suitable respiratory equipment. A respiratory protection program

that meets OSHA's 29 CFR 1910.134 and ANSI Z88.2 requirements must be followed whenever

workplace conditions warrant a respirator's use.

Hygiene measures: Handle in accordance with good industrial hygiene and safety practice.

Ingredient(s)	CAS#	ACGIH	OSHA	Mexico
Sodium hydroxide	1310-73-2	2 mg/m³ (Ceiling)	2 mg/m³ (TWA)	2 mg/m³ (Ceiling)
Monoethanolamine	141-43-5	6 ppm (STEL) 3 ppm (TWA)	3 ppm (TWA) 6 mg/m³ (TWA)	6 ppm (STEL) 15 mg/m³ (STEL) 3 ppm (TWA) 8 mg/m³ (TWA)
Ethyl alcohol	64-17-5	1000 ppm (STEL)	1000 ppm (TWA) 1900 mg/m³ (TWA)	1000 ppm (TWA) 1900 mg/m³ (TWA)

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State: Liquid
Appearance: Liquid
Specific gravity: 1.089

Vapor density: No information available Boiling point/range: Not determined Decomposition temperature: Not determined

Solubility: Completely Soluble

Solubility in other solvents: No information available

Partition coefficient (n-octanol/water): No information available

Elemental Phosphorus: 0 % by wt.

**pH**: 13

Explosion limits: - upper: Not determined - lower: Not determined

**Bulk density:** No information available **Evaporation Rate:** No information available

**Color:** Clear, Colorless **Odor:** No Odor/Odorless

Melting point/range: Not determined

Autoignition temperature: No information available

Density: 9.08 lbs/gal 1.089

Flash point: > 200 °F > 93.3 °C Viscosity: No information available

VOC: 5.1 %

**Dilution pH:** 12.3 @ 1:4

\* - Title 17, California Code of Regulations, Division 3, Chapter 1, Subchapter 8.5, Article 2, Consumer Products, Sections 94508

#### 10. STABILITY AND REACTIVITY

**Stability:** The product is stable

**Polymerization:** Hazardous polymerization does not occur.

Hazardous decomposition products: None reasonably foreseeable.

## 11. TOXICOLOGICAL INFORMATION

Acute toxicity: Corrosive Oral LD50 estimated to be between 2000 - 3000 mg/kg; Dermal LD50 estimated to be >

2000 mg/kg See Section 3.

Component Information: See Section 3

Chronic toxicity: None known

Specific effects

Carcinogenic effects:

Mutagenic effects:

Reproductive toxicity:

Target organ effects:

None known

None known

None known

None known

Ingredient(s)	CAS#	NTP	IARC	OSHA
Ethyl alcohol	64-17-5		-	

# 12. ECOLOGICAL INFORMATION

**Environmental Information:** No data available.

## 13. DISPOSAL CONSIDERATIONS

#### Waste from residues / unused products:

This product, as sold, if discarded or disposed, is a hazardous waste according to Federal regulations (40 CFR 261.4 (b)(4)). Dispose in compliance with all Federal, state, provincial, and local laws and regulations.

RCRA Hazard Class (undiluted product): D002 Corrosive Waste

# 14. TRANSPORT INFORMATION

**<u>DOT/TDG/IMDG:</u>** Please refer to the Diversey HazMat Library, only available through Internet Explorer, http://naextranet.diversey.com/dot/, for up to date shipping information.

DOT (Ground) Bill of Lading Description: UN3266, CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S., (sodium hydroxide, ethanolamine), 8, II

IMDG (Ocean) Bill of Lading Description: Same as DOT above.

# 15. REGULATORY INFORMATION

#### International Inventories at CAS# Level

All components of this product are listed on the following inventories: U.S.A. (TSCA), Canada (DSL/NDSL).

# U.S. Regulations

California Proposition 65: This product is not subject to the reporting requirements under California's Proposition 65.

# **RIGHT TO KNOW (RTK)**

Ingredient(s)	CAS#	MARTK:	NJRTK:	PARTK:	RIRTK:
Water	7732-18-5	-	-	-	=
Sodium hydroxide	1310-73-2	X	X	X	X
Monoethanolamine	141-43-5	X	X	X	-
Ethyl alcohol	64-17-5	X	Х	X	=

#### **CERCLA/ SARA**

Ingredient(s)	CAS#	Weight %	CERCLA/SARA RQ (lbs)	Section 302 TPQ (lbs)	Section 313
Sodium hydroxide	1310-73-2	5 - 10%	1000		

## SARA 311/312 Hazard Categories

Immediate: X
Delayed: Fire: Reactivity: Sudden Release of Pressure: -

Canada

WHMIS hazard class: E Corrosive material.



Ingredient(s)	CAS#	NPRI
Ethyl alcohol	64-17-5	X

# **16. OTHER INFORMATION**

Reason for revision:
Prepared by:

Not applicable
NAPRAC

Additional advice:

• This product has been classified in accordance with hazard criteria of the Controlled Products

Regulations and the MSDS contains all the information required by the Controlled Products

Regulations

Notice to Reader: This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained within. Actual conditions of use and handling are beyond seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.