

**1. PRODUCT AND COMPANY IDENTIFICATION**

<b>Product Name</b>	<b>HYDROCULTURE PH INDICATOR (URINE IND.)</b>
<b>Product Code(s)</b>	5132
<b>Synonyms</b>	none
<b>Recommended Use</b>	Test kit reagent. Industrial (not for food or food contact use). Laboratory chemicals.
<b>Company</b>	LaMotte Company, Inc. 802 Washington Avenue P.O. Box 329 Chestertown, MD 21620 USA
<b>Emergency Telephone Number</b>	24 Hour Emergency Number (CHEM-TEL): USA, Canada, Puerto Rico 1-800-255-3924 Outside North American Continent (Call collect) 813-248-0585

**2. HAZARDS IDENTIFICATION****POISON! DANGER!****Emergency Overview**

Flammable liquid and vapor  
Harmful by inhalation, in contact with skin and if swallowed  
May be fatal or cause blindness if swallowed  
Affects central nervous system  
May cause skin and eye irritation

**Appearance** Dark green**Physical State** Liquid**Odor** Alcohol**Potential Health Effects****Principle Routes of Exposure** Skin contact, Ingestion, and, Inhalation.**Acute Toxicity****Eyes**

May cause irritation.

**Skin**

Irritating to skin. Prolonged skin contact may defat the skin and produce dermatitis.

**Inhalation**

May cause irritation of respiratory tract. May cause central nervous system depression with nausea, headache, dizziness, vomiting, and incoordination.

**Ingestion**

May cause drowsiness and dizziness. May be fatal or cause blindness if swallowed. May cause central nervous system depression.

**Chronic Effects**

Ethanol has been shown to be a reproductive toxin only when consumed as an alcoholic beverage. Prolonged skin contact may cause skin irritation and/or dermatitis.

**Environmental Hazard**

Harmful to aquatic organisms.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS-No	Weight %
Methyl red	493-52-7	<0.05
Bromothymol blue	76-59-5	<0.1
Methyl alcohol	67-56-1	1-5
Ethyl alcohol	64-17-5	80-85
Water	7732-18-5	to 100%

### 4. FIRST AID MEASURES

<b>General Advice</b>	Do not get in eyes, on skin, or on clothing. Consult a physician.
<b>Eye Contact</b>	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.
<b>Skin Contact</b>	Wash off immediately with plenty of water for at least 15 minutes. Consult a physician.
<b>Inhalation</b>	Move to fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial respiration and contact emergency personnel. Call a physician immediately.
<b>Ingestion</b>	Drink 1 or 2 glasses of water. Do not induce vomiting without medical advice. Call a physician immediately.
<b>Protection of First-aiders</b>	Use personal protective equipment. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device.

### 5. FIRE-FIGHTING MEASURES

<b>Flammable Properties</b>	Flammable.			
<b>Flash Point</b>	16°C (60.8°F) CC for SDA (3A) Ethyl Alcohol			
<b>Suitable Extinguishing Media</b>	Water spray, dry chemical, carbon dioxide (CO <sub>2</sub> ), or foam.			
<b>Explosion Data</b>				
<b>Specific Hazards Arising from the Chemical</b>	Vapors may travel to source of ignition and flash back.			
<b>NFPA</b>	<b>Health Hazard 1</b>	<b>Flammability 3</b>	<b>Stability 0</b>	<b>Physical and Chemical Hazards -</b>
<b>HMIS</b>	<b>Health Hazard 2</b>	<b>Flammability 3</b>	<b>Stability 0</b>	

### 6. ACCIDENTAL RELEASE MEASURES

<b>Personal Precautions</b>	Refer to Section 8. Ensure adequate ventilation. Remove all sources of ignition.
<b>Methods for Containment</b>	Absorb spill with inert material (e.g. dry sand or earth), then place in a chemical waste container. Dispose according to federal, state, and local regulations.
<b>Methods for Cleaning Up</b>	After cleaning, flush away traces with water.

### 7. HANDLING AND STORAGE

<b>Handling</b>	Handle in accordance with good industrial hygiene and safety practice. Prevent contact with skin, eyes, and clothing. Do not ingest. Do not eat, drink, or smoke when using this product.
-----------------	---

**Storage** Keep containers tightly closed in a dry, cool, and well-ventilated place. Keep away from heat and sources of ignition. Separate from acids. Keep away from oxidizing agents. Keep out of the reach of children.

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Methyl red 493-52-7	None Known	None Known	None Known
Bromothymol blue 76-59-5	None Known	None Known	None Known
Methyl alcohol 67-56-1	250	TWA: 200 ppm TWA: 260 mg/m <sup>3</sup>	IDLH: 6000 ppm TWA: 200 ppm TWA: 260 mg/m <sup>3</sup> STEL: 250 ppm STEL: 325 mg/m <sup>3</sup>
Ethyl alcohol 64-17-5	TWA: 1000 ppm	TWA: 1000 ppm TWA: 1900 mg/m <sup>3</sup>	IDLH: 3300 ppm TWA: 1000 ppm TWA: 1900 mg/m <sup>3</sup>
Water 7732-18-5	None Known	None Known	None Known

### Personal Protective Equipment

**Eye/Face Protection** Safety glasses with side-shields.  
**Skin and Body Protection** Nitrile rubber. Gloves & Lab Coat.  
**Respiratory Protection** Use only with adequate ventilation.

**Hygiene Measures** Do not eat, drink or smoke when using this product.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

<b>Appearance</b>	Dark green	<b>Odor</b>	Alcohol
<b>Physical State</b>	Liquid	<b>pH</b>	Not applicable
<b>Flash Point</b>	16°C (60.8°F) CC for SDA (3A) Ethyl Alcohol	<b>Autoignition Temperature</b>	363°C (685°F) for SDA (3A) Ethyl Alcohol
<b>Boiling Point/Range</b>	78.5°C (173.3°F) for SDA (3A) Ethyl Alcohol	<b>Freezing Point</b>	-114.1°C (-173.38°F) for SDA (3A) Ethyl Alcohol
		<b>Upper</b>	19% Ethanol
		<b>Lower</b>	3.3% Ethanol
<b>Explosion Limits</b>			
<b>Vapor Pressure</b>	48 mmHg @ 20 °C for SDA (3A) Ethyl Alcohol	<b>Vapor Density</b>	1.6 @ 20°C (Air=1) for SDA (3A) Ethyl Alcohol

## 10. STABILITY AND REACTIVITY

**Stability** Stable under normal conditions of use and storage.

**Incompatible Products** Nitric acid. Strong oxidizing agents. Alkali metals.

**Conditions to Avoid** Heat, flames and sparks.

**Hazardous Decomposition Products** Carbon oxides (COx).

**Hazardous Polymerization** Hazardous polymerization does not occur.

## 11. TOXICOLOGICAL INFORMATION

### Acute Toxicity

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Methyl red	None Known	None Known	None Known
Bromothymol blue	None Known	None Known	None Known
Methyl alcohol	5628 mg/kg ( Rat )	15800 mg/kg ( Rabbit )	64000 ppm ( Rat ) 4 h 83.2 mg/L ( Rat ) 4 h
Ethyl alcohol	1501 mg/kg ( Rat )	None Known	124.7 mg/L ( Rat ) 4 h
Water	90 mL/kg ( Rat )	None Known	None Known

**Chronic Toxicity****Chronic Toxicity**

Ethanol has been shown to be a reproductive toxin only when consumed as an alcoholic beverage. Prolonged skin contact may cause skin irritation and/or dermatitis.

**Carcinogenicity**

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
Methyl red	None Known	None Known	None Known	None Known
Bromothymol blue	None Known	None Known	None Known	None Known
Methyl alcohol	None Known	None Known	None Known	None Known
Ethyl alcohol	None Known	None Known	Known	None Known
Water	None Known	None Known	None Known	None Known

**NTP: (National Toxicity Program)**

Known - Known Carcinogen

Chemical Name	EU - Endocrine Disruptors Candidate List	EU - Endocrine Disruptors - Evaluated Substances	Japan - Endocrine Disruptor Information
Methyl red	None Known	None Known	None Known
Bromothymol blue	None Known	None Known	None Known
Methyl alcohol	None Known	None Known	None Known
Ethyl alcohol	None Known	None Known	None Known
Water	None Known	None Known	None Known

**12. ECOLOGICAL INFORMATION**

**Ecotoxicity**

Chemical Name	Toxicity to Algae	Toxicity to Fish	Microtox	Daphnia Magna (Water Flea)
Methyl red	None Known	None Known	None Known	None Known
Bromothymol blue	None Known	None Known	None Known	None Known
Methyl alcohol	None Known	LC50 13500 - 17600 mg/L Lepomis macrochirus 96 h LC50 18 - 20 mL/L Oncorhynchus mykiss 96 h LC50 19500 - 20700 mg/L Oncorhynchus mykiss 96 h LC50= 28200 mg/L Pimephales promelas 96 h LC50> 100 mg/L Pimephales promelas 96 h	EC50 = 39000 mg/L 25 min EC50 = 40000 mg/L 15 min EC50 = 43000 mg/L 5 min	None Known
Ethyl alcohol	None Known	LC50= 12900 mg/L Oncorhynchus mykiss 96 h LC50= 14.2 mg/L Pimephales promelas 96 h	EC50 = 34634 mg/L 30 min EC50 = 35470 mg/L 5 min	EC50 = 10800 mg/L 24 h EC50 = 9268 mg/L 48 h
Water	None Known	None Known	None Known	None Known

**Persistence and Degradability** Ethanol: When released into the soil, this material is expected to leach into groundwater. When released into the soil, this material is expected to quickly evaporate. When released into water, this material may evaporate to a moderate extent. When released into the air, this material is expected to be readily degraded by reaction with photochemically produced hydroxyl radicals. When released into the air, this material is expected to be readily removed from the atmosphere by dry and wet deposition. When released into the air, this material is expected to have a half-life between 1 and 10 days. In the atmosphere, methanol will be photo-oxidized relatively quickly; the half-life ranges between 3 and 30 days. In soil, surface or groundwater, rapid biodegradation is expected with the half-life ranging from 1 to 7 days.

Chemical Name	Log Pow
Methyl red	None Known
Bromothymol blue	None Known
Methyl alcohol	= -0.77
Ethyl alcohol	= -0.32
Water	None Known

**13. DISPOSAL CONSIDERATIONS**

**Waste Disposal Method** Dispose of in accordance with local regulations.

Chemical Name	RCRA - Halogenated Organic Compounds	RCRA - P Series Wastes	RCRA - F Series Wastes	RCRA - K Series Wastes
Methyl red - 493-52-7	None Known	None Known	None Known	None Known
Bromothymol blue - 76-59-5	None Known	None Known	None Known	None Known
Methyl alcohol - 67-56-1	None Known	None Known	None Known	None Known
Ethyl alcohol - 64-17-5	None Known	None Known	None Known	None Known
Water - 7732-18-5	None Known	None Known	None Known	None Known
Chemical Name		California Hazardous Waste Status		
Ethyl alcohol		Toxic; Ignitable		

**14. TRANSPORT INFORMATION**

**DOT**  
**Proper Shipping Name** ETHANOL SOLUTION (Ethyl Alcohol Solution)  
**Hazard Class** 3  
**UN-No** 1170

**Packing Group** II

**IATA**

**UN-No** 1170  
**Proper Shipping Name** ETHANOL SOLUTION (Ethyl Alcohol Solution)  
**Hazard Class** 3  
**Packing Group** II

**IMDG/IMO**

**Proper Shipping Name** ETHANOL SOLUTION (Ethyl Alcohol Solution)  
**Hazard Class** 3  
**UN-No** 1170  
**Packing Group** II

**15. REGULATORY INFORMATION**

**International Inventories**

Component	TSCA	DSL	EINECS/ELINCS	ENCS	IECSC	KECL	PICCS	AICS
Methyl red 493-52-7 ( <0.05 )	Present	X	X	5-243	X	KE-06693	X	X
Bromothymol blue 76-59-5 ( <0.1 )	Present	X	X	ENCS	X	KE-02744	X	X
Methyl alcohol 67-56-1 ( 1-5 )	Present	X	X	(2)-201	X	KECL	X	X
Ethyl alcohol 64-17-5 ( 80-85 )	Present	X	X	2-202	X	KE-13217	X	X
Water 7732-18-5 ( to 100% )	Present	X	X	ENCS	X	KE-35400	X	X

**U.S. Federal Regulations**

**SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	CAS-No	Weight %	SARA 313 - Threshold Values %
Methyl red	493-52-7	<0.05	None Known
Bromothymol blue	76-59-5	<0.1	None Known
Methyl alcohol	67-56-1	1-5	1.0
Ethyl alcohol	64-17-5	80-85	None Known
Water	7732-18-5	to 100%	None Known

**SARA 311/312 Hazard Categories**

**Acute Health Hazard** Yes  
**Chronic Health Hazard** Yes  
**Fire Hazard** Yes  
**Sudden Release of Pressure Hazard** No  
**Reactive Hazard** No

**Clean Water Act**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

Component	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Methyl red 493-52-7 ( <0.05 )	None Known	None Known	None Known	None Known
Bromothymol blue 76-59-5 ( <0.1 )	None Known	None Known	None Known	None Known

Methyl alcohol 67-56-1 ( 1-5 )	None Known	None Known	None Known	None Known
Ethyl alcohol 64-17-5 ( 80-85 )	None Known	None Known	None Known	None Known
Water 7732-18-5 ( to 100% )	None Known	None Known	None Known	None Known

**Clean Air Act, Section 112 Hazardous Air Pollutants (HAPs) (see 40 CFR 61)**

This product contains the following HAPs:

Chemical Name	CAS-No	Weight %	HAPS data	VOC Chemicals	Class 1 Ozone Depletors	Class 2 Ozone Depletors
Methyl red	493-52-7	<0.05	None Known	None Known	None Known	None Known
Bromothymol blue	76-59-5	<0.1	None Known	None Known	None Known	None Known
Methyl alcohol	67-56-1	1-5	Present	Group IV	None Known	None Known
Ethyl alcohol	64-17-5	80-85	None Known	None Known	None Known	None Known
Water	7732-18-5	to 100%	None Known	None Known	None Known	None Known

**CERCLA**

Chemical Name	Hazardous Substances RQs	Extremely Hazardous Substances RQs
Methyl red	None Known	None Known
Bromothymol blue	None Known	None Known
Methyl alcohol	5000 lb	None Known
Ethyl alcohol	None Known	None Known
Water	None Known	None Known

**U.S. State Regulations****California Proposition 65**

WARNING! This product contains chemicals know to the State of California to cause cancer and birth defects or other reproductive harm (Ethyl alcohol is only considered a Proposition 65 cancer and developmental hazard when it is ingested as an alcoholic beverage)

Chemical Name	CAS-No	California Prop. 65
Methyl red	493-52-7	None Known
Bromothymol blue	76-59-5	None Known
Methyl alcohol	67-56-1	Developmental
Ethyl alcohol	64-17-5	Carcinogen
Water	7732-18-5	None Known

**U.S. State Right-to-Know Regulations**

Chemical Name	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Methyl red	None Known	None Known	None Known	None Known	None Known
Bromothymol blue	None Known	None Known	None Known	None Known	None Known
Methyl alcohol	X	X	X	X	X
Ethyl alcohol	X	X	X	None Known	X
Water	None Known	None Known	None Known	None Known	None Known

**International Regulations****Mexico - Grade**

Chemical Name	Carcinogen Status	Exposure Limits
Methyl red	None Known	None Known
Bromothymol blue	None Known	None Known
Methyl alcohol	None Known	Mexico: TWA 200 ppm Mexico: TWA 260 mg/m <sup>3</sup>
Ethyl alcohol	None Known	Mexico: TWA= 1000 ppm Mexico: TWA= 1900 mg/m <sup>3</sup>
Water	None Known	None Known

**Canada**

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR

Component	WHMIS Hazard Class
Methyl red 493-52-7 ( <0.05 )	Uncontrolled product according to WHMIS classification criteria
Bromothymol blue 76-59-5 ( <0.1 )	Uncontrolled product according to WHMIS classification criteria
Methyl alcohol 67-56-1 ( 1-5 )	1 % B2 D1B D2A D2B
Ethyl alcohol 64-17-5 ( 80-85 )	0.1 % B2 D2B
Water 7732-18-5 ( to 100% )	Uncontrolled product according to WHMIS classification criteria



Chemical Name	NPRI
Methyl alcohol	X

Legend  
X - Listed

16. OTHER INFORMATION

NFPA	HMIS	PPE	Transport Symbol						
	<table border="1" style="border-collapse: collapse;"> <tr> <td style="background-color: #000080; color: white;">HEALTH</td> <td style="text-align: center; background-color: #000080; color: white;">2</td> </tr> <tr> <td style="background-color: #ff0000; color: white;">FLAMMABILITY</td> <td style="text-align: center; background-color: #ff0000; color: white;">3</td> </tr> <tr> <td style="background-color: #ffff00; color: black;">REACTIVITY</td> <td style="text-align: center; background-color: #ffff00; color: black;">0</td> </tr> </table>	HEALTH	2	FLAMMABILITY	3	REACTIVITY	0		
HEALTH	2								
FLAMMABILITY	3								
REACTIVITY	0								

Prepared By	Regulatory Affairs Department
Issuing Date	12/18/2012
Revision Date	-
Revision Note	Update to Format.
Disclaimer	

The information provided on this MSDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

**End of MSDS**